

PROPERTY OF:

BIOLOGY – UNIT 2 – CHAPTER 7a NOTES

CELLS

Microscopes

Light microscope = magnifies objects using light

PRO = cheap, easy to use, color

CON = cannot magnify images very much

Scanning electron microscope = magnifies the outer surface of an object using electron beams

PRO = provides a lot of detail

CON = expensive, black and white

Transmission electron microscope = magnifies the inner portion of an object using electron beams

PRO = provides a lot of detail

CON = expensive, black and white

3 Important Cell Types

- bacterial cell (prokaryotic)
- animal cell (eukaryotic)
- plant cell (eukaryotic)

Cell Pathways

- Protein Synthesis Pathway
- Endo-Membrane System
- Storage and Degradation
- Energy Transformation
- Structure, Support, and Movement

The Endo-Symbiotic Theory

- symbiosis = a close relationship between 2 organisms in which at least one benefits from the other
- The symbiotic theory explains how prokaryotic cells (bacteria) evolved into eukaryotic cells (Protista)
- First, the cell membrane of a large prokaryotic cell folded inward. This formed the nuclear envelope. Additional infoldings produced the rough ER, smooth ER, and Golgi apparatus.
- Second, the large prokaryotic cell “ate” a primitive mitochondrion.
- Third, the large prokaryotic cell “ate” a primitive chloroplast.
- MORE ABOUT THE ENDO-SYMBIOTIC THEORY IN CHAPTER 17!

PROPERTY OF:

THE 20 MAJOR ORGANELLES

PROTEIN SYNTHESIS PATHWAY

<i>Organelle</i>	<i>Structure</i>	<i>Function</i>	<i>Plant? Animal?</i>
Nucleus	Chromatin, Chromosomes	Contains the DNA and regulates cell activities	Plant Animal
Nuclear Envelope	Phospholipid Bilayer	Contains the nucleus and has pores to let materials out	Plant Animal
Nucleolus	Dark region within the nucleus	Creates ribosomes	Plant Animal
Ribosome	Small spheres in the cytoplasm or on the Rough ER	Creates proteins	Plant Animal

ENDO-MEMBRANE SYSTEM

<i>Organelle</i>	<i>Structure</i>	<i>Function</i>	<i>Plant? Animal?</i>
Rough ER	Flattened sacs of membranes with ribosomes	Creates proteins to be exported from the cell	Plant Animal
Smooth ER	Flattened sacs of membranes without ribosomes	Creates lipids and carbohydrates to be exported from the cell	Plant Animal
Transport Vesicle	Small membrane- bound sac	Moves chemicals from ER to Golgi or from Golgi to the cell membrane	Plant Animal
Golgi Apparatus	Flattened sacs of membranes without ribosomes	Modifies and distributes chemicals to be exported from the cell	Plant Animal
Cell Membrane	Phospholipid Bilayer	Creates a barrier around the cell and regulates what enters and leaves the cell	Plant Animal

STORAGE AND DEGRADATION

<i>Organelle</i>	<i>Structure</i>	<i>Function</i>	<i>Plant? Animal?</i>
Lysosome	Small membrane-bound sac	Contains enzymes that digest chemicals that are no longer needed	Plant Animal
Peroxisome	Small membrane-bound sac	Contains enzymes that break down chemical poisons such as peroxide and alcohol	Plant Animal
Central Vacuole	Large membrane-bound sac	Stores water, sugars, and other important chemicals	Plant

ENERGY TRANSFORMATION

<i>Organelle</i>	<i>Structure</i>	<i>Function</i>	<i>Plant? Animal?</i>
Mitochondrion	Double membrane-bound sac with a highly folded inner membrane	Production of ATP (energy)	Plant Animal
Chloroplast	Double membrane-bound sac with flattened sacs inside	Production of glucose during photosynthesis	Plant

STRUCTURE, SUPPORT, AND MOVEMENT

<i>Organelle</i>	<i>Structure</i>	<i>Function</i>	<i>Plant? Animal?</i>
Cytoplasm	Fluid inside a cell	Contains dissolved nutrients, ions, and other chemicals	Plant Animal
Cytoskeleton	Dissolved structural proteins in the cytoplasm	Maintains the cell's shape and structure	Plant Animal
Cell Wall	Made of cellulose or other water-insoluble polysaccharides	Protects the cell, maintains its shape and structure, and lets cells stick together	Plant
Extracellular Matrix	Structural proteins located on the outside of the cell membrane	Allows cells to stick together even though they do not have a cell wall	Animal
Cilia	Hair-like structures made of contractile proteins on the cell membrane	Moves substances across the surface of the cell	Animal
Flagellum	Thread-like structure made of contractile proteins on the cell membrane	Allows the cell to "swim"	Animal